

Reference Guide: bizhub



• Table of Contents

3	BASIC COPY
	BASIC COPY FUNCTIONS
13	QUICK COPY
	QUICK COPY FEATURES
15	SORT (COLLATE)
16	COLOR COPYING
17	PAPER TRAYS & PAPER TYPE
18	REDUCE & ENLARGE
19	DUPLEX (2-SIDED) / COMBINE SERIES
20	STAPLING
21	HOLE PUNCH
22	MIXED ORIGINALS
23	SEPERATE SCAN (BATCH)
24	STAMPS
27	FAXING
29	SCANNING
30	SCAN TO EMAIL
31	ADDITIONAL SCAN FEATURES
	2-SIDED
	COLOR
	FILE

FILE NAMING MIXED ORIGINALS BLANK PAGE REMOVAL SEPERATE SCAN BATCH **39** USER BOX 41 USER BOX (SECURE PRINT) **45** PRINT DRIVER OVERVIEW EDIT MY TAB BASIC TAB SECURE PRINT LAYOUT TAB FINISH TAB COVER MODE **STAMP / COMPOSITION** QUALITY TAB FAVORITE SETTING








Basic Copy

Step 1: To copy click on the Copy app Icon








Basic Copy

UDEO BUSINESS SERVICES



This is the Basic Copy Screen. There is also a Quick Copy view that will be covered later in this document.

Features are listed at bottom of the screen. For additional features click on the Application Button at the bottom right of the screen.





Color button shows options for auto color, full color, black, 2 color or single color.








Paper shows the paper drawer configurations. Auto is checked as the default. Auto will match the copy size to the original size. To change paper type click on one of the drawers.







The bypass tray is an additional paper source used for various sizes and media types. To change the configuration, click on the bypass. The chosen source will highlight and display options.





Tray Settings (Manual Tray)											
Replenish Paper.											
Paper Type Standard Paper User Standard Paper	Paper	<	Ucom10 🗐 Paper Size	60 - 90g/m	*						
Plain Paper	Single Side Only	Ĭ		1							
Thin Paper	Special Paper		Auto Detect								
Thick1	Thick 1+	T	Custom Size								
Thick2	Thick3		Envelope/4×6	Contract I	*						
Thick4	Transparency	9	Metric Sizes	Inches	*						
Duplex 2nd Side	Alter Thickness		Wide Paper								
Original Type Color	Bookiet Paper		Zoom Duplex/ Combine	Finishing AP	lose						

After selecting "Change Tray Settings" this window appears with media type options.







The bypass tray is an additional paper source used for various sizes and media types. To change the configuration, click on the bypass. The chosen source will highlight and display options.







Duplex/Combine shows options for 2 sided copying. 1 sided is the default. Other options include 1 sided to 2 sided, 2 sided to 1 sided and 2 sided to 2 sided. In addition, Combine includes combining multiple originals onto a single sheet.







Finishing shows finishing options (i.e. sort/stapling/hole punch). (This will vary per machine depending on finisher configuration.)







Application shows additional features. This is a horizontal scrolling list.










UDEO BUSINESS SERVICES



The Following pages will overview navigating the Quick Copy View.





13

Quick Copy Features








Sort (Collate)






Color Copying



Paper Trays and Paper Type



Reduce and Enlarge



Duplex (2-sided) / Combine Series



Select Desired Duplex Option

1 sided to 2 sided 2 sided to 1 sided 2 sided to 2 sided

OR... Select Desired Combine Series

2 in1 (two images to a page) 4 in 1 (four images to a page) 8 in 1 (eight images to a page)



Stapling (on select machines)

Place Originals in Document Feeder Face Up


Ubeo BUSINESS SERVICES





Hole Punch (on select machines)

Place Originals in Document Feeder Face Up






Mixed Originals



Separate Scan (Batch)



Separate Scan (Batch) Cont.

Scanning stopped.				bl List Menu 2018 2018 2018 2018 2018 2018 Enlarge Display
Job No. 7524	Resolution S 200x200dpi F Fine		x/Duplex Color Sided Auto Col	Dispiay
Load the next original a When scanning is comp	nd press [Start]. lete, touch [Finish].			?
		1/1		Access
Change Setting	Finish	Number of Origina		Interru
change setting				Previe
change setting				E
Power 1	2	10Keypad 🎫	Start	Stop Rese


Step 4: Continue to add your next set of documents into the document feeder and *Hit Start*. The machine will store the document until it is complete. *Hit Finish* button when you are done and the document will print





Stamps

UDEO BUSINESS SERVICES






Stamps Cont.



Faxing

UDEO BUSINESS SERVICES





Faxing Cont.

OR...

Step 3: Select Direct Input and choose fax type in fax destination

Step 3: Choose Purple Telephone to hear dial tone and type in fax destination






Step 5: Press Start



Scanning

UDEO BUSINESS SERVICES



29



Scan to Email

UDEO BUSINESS SERVICES

Programmed Destination




30



2 sided

UDEO BUSINESS SERVICES






Color





File

UDEO BUSINESS SERVICES





File Naming

UDEO BUSINESS SERVICES






Mixed Originals



Blank Page Removal

Note: Blank Page Removal will detect blank pages while scanning and remove them from the scanned document.



Additonal Scan Features

Seperate Scan Batch



UDEO BUSINESS SERVICES **Step 1:** Select Application



Step 2: Select Seprate Scan (under B)



37

Additional Scan Features

Seperate Scan Batch Cont.



Step 4: Continue to add your next set of documents into the document feeder - *Hit "Start"*


The machine will store the document until it is complete.

Hit "Finish" when you're done and the document will print.






User Box



From the Home Screen Click on the User Box

The User Box is a convenient way to store documents for re-print or sharing.




The User Box will be empty.

Step 1: Click New to create a new box.





User Box



Doc. Preview Job List Select document(s) and then 1 03 / 202 choose the desired function. Operating Remotely Check S **1** Public Details SKM C65920040 Print Send Other Delete Move Reset Copy


Step 2: Highlight a box and click "open" to open that box.

Step 3: Documents will show listed.

After Choosing a document the options are to print, send to a destination (email/ folder), delete, move to another box or copy to another box.







Choose System to see additional User Boxes and System Boxes



The System Box includes several options. This guide will focus on Secure Print.





UDEO BUSINESS SERVICES

Advanced 👷 Ny Tab Basic Layo It Finish 8 1/2x11 (215.9x279.4 mm) 9 1/2x11 (215.9x279.4 mm)	Cover Mode Stamp/Composition Quality Other Eavorite Setting Untitled Add Edit Original Orientation Output Method Secure Print V Original Size Untitled Vertication Vertication Original Size User Secure Print Vertication Øriginal Size Image: Secure Print Vertication	Secure Print starts at the computer. Step 1: Open the print driver properties, click on the Basic tal
x1	Auto Paper Tray Auto Auto Paper Type Plain Paper Plain Paper Paper Settings for Each Tray Default	Step 2: Choose Secure Print from the Output Method drop down list. Next, the Secure Print Window will appear.
	OK Cancel Help]


42



Secure Print Save in User Box Step 3: Enter Document Document ID File Name **ID and Password** Max. 30 Max. 64 Password User Box Number Max. 64 Max. 9 User Box Information Display count:0 Operate the printer's control panel in order to use the documents which are printed by User Box Nu... User Box Name User Box Type "secure print". Step 4: Next enter The entered [Document ID] can be cleared, by a document ID and password of your choosing. Click Ok and Print. Obtain Device Information The document will hold In order to save documents in the User Box or to do the secure print, Select [Save in User Box] or [Secure Print] from the in the Secure Print Queue list below [Output Method] on [Basic] tab. until released. OK Cancel Default Help








Releasing Secure Print Job at device: After Choosing the User Box from the home screen, choose Secure print. Then enter your Document ID and Password. A list of documents under that ID and Password will show and can be released.





Print Driver Overview

Click Tabs at top for optional features. My Tab is the default.



Printer Information is a quick link to the web portal for the machine.





Print Driver Overview - Edit My Tab

	Edit My Tab	×	
	Setting Item List		
	Basic Layout Finish Cover Mode Stamp/Composition Quality Other		
	 Original Orientation Original Size Paper Size Zoom [25400%] Paper Tray Paper Type Output Method Authentication/Account Track 	~	
Add to left	▼ to the LEFT ▼ to the RIGHT		Add to right
	LEFT side II RIGHT side		
	Output Method Staple	Up Down	
	Select Color	t/Right nove	The Edit My Tab Window: Features can be added to or deleted from
	OK Cancel Default	Help	the Left and Right Sides. You can also move the features used most often to the top.



Print Driver Overview - Basic Tab

Advanced My Tab Basic Layout Finish Cover Mode Stamp/Composition Quality Other \$1/2x11 (215 9x279.4 mm) \$1/2x11 \$1/2x11 \$2/2x11 \$1/2x11 \$2/2x11 \$1/2x11 \$2/2x12 \$1/2x11 \$2/2x12 \$1/2x11 \$2/2x12 \$1/2x11 \$2/2x12 \$2/2x12 \$2/2x12 \$2/2x12 </th <th>👼 Demo R</th> <th>loom - KO</th> <th>NICA M</th> <th>INOLTA C</th> <th>659Series</th> <th>PS Document</th> <th>Properties</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>×</th>	👼 Demo R	loom - KO	NICA M	INOLTA C	659Series	PS Document	Properties						×
N 1/2x11 (215.9x279.4 mm) S 1/2x11 (215.9x279.4 mm) Image: Size in the strength of the str	Advanced	🧟 My T	ab Basi	ic Layou	ut Finish	Cover Mode	Stamp/Co	omposition	Quality	Other			
Image: Second seco	8_1/2x1	1 (215.9x	279.4 n	ım)		Favorite Settin	ng	🥵 Defau	lt Setting	~	Add	Edit	
Plain Paper V Paper Settings for Each Tray		1 (215.9x	279.4 n	um)		Criginal Si 8 1/2x11 Paper Same as Zoom [2 @ Auto Man Paper Tray	Portrait Landsc Ze Size Original Si: 5400%]- ual	ze	~	Author Copies 1	Print User Setting entication/Acco [1999 [] Colla	unt Track 9] te	
		ter View		<u>E</u> 0	_	Paper Typ			~	Pap]

Basic Tab includes: Original Orientation Original Size Paper Size Zoom Paper Tray Paper Type User Authentication Output Method

Output method includes Print, Secure Print and Save to User Box








Print Driver Overview - Secure Print

UDEO BUSINESS SERVICES





Print Driver Overview - Layout Tab

8 1/2x11 (215.9x279.4 mm)	Favorite Setting Untitled	✓ Add Edit
8 1/2x11 (215.9x279.4 mm)	Combination 2 in 1 Combination Details	Print Type 2-Sided ~
	Rotate 180	Binding Position Auto Binding Margin
	180 Degree Rotation Setting	Binding Margin Settings
	Chapters Entry Example 2,4,6-10	Image Shift Settings
Printer View Printer Information		Default


49

UDEO BUSINESS SERVICES Click on Layout Tab to activate

The Layout Tab features: Combination (2 in 1, 4 in 1, etc..) Rotate Chapters Binding position Margin Image shift



Print Driver Overview - Finish Tab



Click on Finishing tab to activate.

The Finishing Tab features: Available features will vary depending on finisher models.

This illustration shows the finisher has stapling, punch and fold. Click on a feature's check box to activate.





Print Driver Overview - Cover Mode

👼 Demo Room - KONICA MINOLTA C659Series	PS Document Properties	×
Advanced 🧟 My Tab Basic Layout Finish	Cover Mode Stamp/Composition Quality C	ther
8 1/2x11 (215 9x279.4 mm)	Favorite Setting Untitled	V Add Edit
8 1/2x11 (215.9x279.4 mm)	Front Cover	Per Page Setting
		List 1 🗸
	Front Cover Tray	Edit List
	Tray1 ~	Transparency Interleave
	Blank	A Blank
x1	Back Cover Tray	Interleave Tray
	Tray1 🗸	Tray1 ~
	Front Cover from Post Inserter	
	Back Cover from Post Inserter	Carbon Copy Carbon Copy Settings
	PI Tray 1 🗸	
Printer View Printer Information		Default
	OK	Cancel Help

Click on Cover Mode tab to activate.


The Cover Mode tab includes: setting up front and back covers Transparency Interleave Carbon Copy

Click on a feature's checkbox to activate.





Print Driver Overview - Stamp/Compostion



Click on Stamp/Composition tab to activate.

The Stamp/Composition tab includes:

Watermark Image Overlay Copy Security Header/Footer

Click on a feature's checkbox to activate.





Print Driver Overview - Quality Tab

						S Document	•	- F	Quality				×
Advanced	2	My lab	Basic	Layou	it Finish	Cover Mode Favorite Settir		Untitled	Quality	Other	Add	Edit	
		_	_	=]		Select Col Auto Cole			~	Resolu 600d			~
							Qualit	y Adjustment		Blac Text	ck Over Print		\sim
						Color Setti	ngs ument				ssy Mode her Save		
) },	[[]]	PP C	Phot DTP Web CAD	0				e Enhanceme	ent	
	Ś	8	F							Aut	o Trapping Font Settir	ngs	
Prin	ter Vie	w	Prir	nter Inform	nation							Default	
									Oł	<	Cancel	Hel	p


Click on Quality tab to activate. **The Quality tab includes:** Select Color (Auto Color, Full Color, Grayscale,) Color Settings Resolution (600 dpi, 1200dpi,) Glossy Mode Toner Save Edge Enhancement Auto Trapping Font Settings





Print Driver Overview - Favorite Setting

The Favorite Setting: The Favorite Setting is displayed on every tab. This feature is for saving presets for future use.





Need additional training?

Visit: ubeo.com/customer-service-request or call 1.888.201.8431